



### Scan results for kidpowercs.org

# Compliant

Great news! Based on our scan, your webpage is accessible and conforms with WCAG standards.

 **accessWidget** is detected on the website

Thank you for making your website accessible and inclusive for all users with  **accessiBe**




**Congratulations!**  
Your website is among the 3% of inclusive and accessible websites globally. Well done!

● Inclusive websites    ● Not inclusive websites

In the report you'll find the results for dozens of tests focusing mainly on these categories:

- Screen-reader** adjustments (blind users)
- Keyboard navigation** adjustments (motor impaired)
- UI, design and readability** adjustments (vision impaired)



#	Element	Relevant	Successes	Failures	Score
---	---------	----------	-----------	----------	-------

1	Elements that behave as buttons but are built using other tags such as span, div, a or others, should include a "role" attribute that equals to "button".	Yes	10	0	100
---	---	-----	----	---	-----

### Successful Elements

```
<button id="e-n-menu-dropdown-icon-1382" class="e-n-menu-dropdown-icon e-focus " data-tab-index="2" data-focus-index="2" data-custom-button-processed="true" data-acsb-menu="a" role="button" data-acsb-menu-root-link="true"> <span class="e-n-m ...
```

```
<button id="e-n-menu-dropdown-icon-1383" class="e-n-menu-dropdown-icon e-focus " data-tab-index="3" data-focus-index="3" data-custom-button-processed="true" data-acsb-menu="a" role="button" data-acsb-menu-root-link="true"> <span class="e-n-m ...
```

```
<button id="e-n-menu-dropdown-icon-1384" class="e-n-menu-dropdown-icon e-focus " data-tab-index="4" data-focus-index="4" data-custom-button-processed="true" data-acsb-menu="a" role="button" data-acsb-menu-root-link="true"> <span class="e-n-m ...
```

```
<button id="e-n-menu-dropdown-icon-1385" class="e-n-menu-dropdown-icon e-focus " data-tab-index="5" data-focus-index="5" data-custom-button-processed="true" data-acsb-menu="a" role="button" data-acsb-menu-root-link="true"> <span class="e-n-m ...
```

```
<button id="e-n-menu-dropdown-icon-1386" class="e-n-menu-dropdown-icon e-focus " data-tab-index="6" data-focus-index="6" data-custom-button-processed="true" data-acsb-menu="a" role="button" data-acsb-menu-root-link="true"> <span class="e-n-m ...
```

```
<div class="elementor-custom-embed-image-overlay " data-elementor-open-lightbox="yes" data-elementor-lightbox="{&quot;type&quot;:&quot;video&quot;,&quot;videoType&quot;:&quot;youtube&quot;,&quot;url&quot;:&quot;https://www.youtube.com/embed/_ZUgZ ...
```

```
<a aria-label="" class="elementor-element elementor-element-139e8cd e-con-full to Top z-second ratio-one-to-one e-flex default section-default-pad e-con e-parent " data-id="139e8cd" data-element_type="container" data-settings="{&quot;background_backg ...
```

```
<a href="#" id="cn-accept-cookie" data-cookie-set="accept" class="cn-set-cookie c n-button " aria-label="Accept" style="undefined;background-color: #00a99d;background-color:#ffffff!important" data-custom-button-processed="true" data-acsb-original- ...
```

```
<a href="#" id="cn-refuse-cookie" data-cookie-set="refuse" class="cn-set-cookie c
n-button " aria-label="No Thank You" style="undefined;background-color: #00a99d;b
ackground-color:#ffffff!important" data-custom-button-processed="true" data-acsb-
ori ...
```

```
<span id="cn-close-notice" data-cookie-set="accept" class="cn-close-icon " tabind
ex="0" style=";background-color:#ffffff!important;color:#000000!important;" role
="button"><span data-="true" " aria-hidden="false" >No Thank You - </span></span>
```

2 Buttons should include text explaining their functionality, and ifYes icons are used as buttons, a screen-reader only text or an "aria-label" attribute should be used for that description.

10

0

100

### Successful Elements

```
<button id="e-n-menu-dropdown-icon-1382" class="e-n-menu-dropdown-icon e-focus "
data-tab-index="2" data-focus-index="2" data-custom-button-processed="true" data-
acsb-menu="a" role="button" data-acsb-menu-root-link="true"> <span class="e-n-
m ...
```

```
<button id="e-n-menu-dropdown-icon-1383" class="e-n-menu-dropdown-icon e-focus "
data-tab-index="3" data-focus-index="3" data-custom-button-processed="true" data-
acsb-menu="a" role="button" data-acsb-menu-root-link="true"> <span class="e-n-
m ...
```

```
<button id="e-n-menu-dropdown-icon-1384" class="e-n-menu-dropdown-icon e-focus "
data-tab-index="4" data-focus-index="4" data-custom-button-processed="true" data-
acsb-menu="a" role="button" data-acsb-menu-root-link="true"> <span class="e-n-
m ...
```

```
<button id="e-n-menu-dropdown-icon-1385" class="e-n-menu-dropdown-icon e-focus "
data-tab-index="5" data-focus-index="5" data-custom-button-processed="true" data-
acsb-menu="a" role="button" data-acsb-menu-root-link="true"> <span class="e-n-
m ...
```

```
<button id="e-n-menu-dropdown-icon-1386" class="e-n-menu-dropdown-icon e-focus "
data-tab-index="6" data-focus-index="6" data-custom-button-processed="true" data-
acsb-menu="a" role="button" data-acsb-menu-root-link="true"> <span class="e-n-
m ...
```

```
<div class="elementor-custom-embed-image-overlay " data-elementor-open-lightbox
="yes" data-elementor-lightbox="{&quot;type&quot;:&quot;video&quot;,&quot;videoTy
pe&quot;:&quot;youtube&quot;,&quot;url&quot;:&quot;https://www.youtube.com/emb
ed/_ZUGZ ...
```

```
<a aria-label="" class="elementor-element elementor-element-139e8cd e-con-full to
Top z-second ratio-one-to-one e-flex default section-default-pad e-con e-parent "
data-id="139e8cd" data-element_type="container" data-settings="{&quot;background_
backg ...
```

```
<a href="#" id="cn-accept-cookie" data-cookie-set="accept" class="cn-set-cookie cn-button" aria-label="Accept" style="undefined;background-color: #00a99d;background-color:#ffffff!important" data-custom-button-processed="true" data-acsb-origin al- ...
```

```
<a href="#" id="cn-refuse-cookie" data-cookie-set="refuse" class="cn-set-cookie cn-button" aria-label="No Thank You" style="undefined;background-color: #00a99d;background-color:#ffffff!important" data-custom-button-processed="true" data-acsb-ori ...
```

```
<span id="cn-close-notice" data-cookie-set="accept" class="cn-close-icon" tabindex="0" style=";background-color:#ffffff!important;color:#000000!important;" role="button"><span data-="true" " aria-hidden="false" >No Thank You - </span></span>
```

3

Links should include text that is setting expectations to what page they are leading to. If empty links are used as layout wrapping elements, a screen-reader only text or an "aria-label" attribute should be used for that description.

Yes

50

0

100

### Successful Elements

```
<a href="https://kidpowercs.org" data-custom-button-processed="true"> Chocoholic Frolic!</a>
```

```
<a href="tel://719-520-1311" data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="true"> <span class="elementor-icon-list-text" style=";background-color:#ffffff!important;color:#000000!important;">719-520-1 ...
```

```
<a href="https://kidpowercs.org/contact-us/" data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="true"> <span class="elementor-icon-list-text" style=";background-color:#ffffff!important;color:#000000!impor ...
```

```
<a href="https://kidpowercs.org/give-gift-safety/" data-custom-button-processed="true" data-acsb-hover="true"> <span class="elementor-icon-list-icon" style=";background-color:#ffffff!important;color:#000000!important;"> <svg a ...
```

```
<a class="e-n-menu-title-text e-link e-focus" href="https://kidpowercs.org/programs/" data-focus-index="1" data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="true" data-acsb-tooltip="Use </> to navigate" style=";background-color:#ffffff!important;color:#000000!important;">ack ...
```

```
<a class="e-n-menu-title-text e-link e-focus" href="https://kidpowercs.org/gratitude-report/" data-focus-index="7" data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="true" style=";background-color:#ffffff!important;color:#000000!important;">nt;c ...
```

```
<a class="elementor-button elementor-button-link elementor-size-sm " href="http
s://kidpowercs.org/about-kidpower-in-colorado-springs/research/" data-custom-but
ton-processed="true" style=";background-color:#ffffff!important;color:#000000!impo
rtant; ...
```

```
<a class="elementor-button elementor-button-link elementor-size-sm " href="http
s://kidpowercs.org/what-is-the-need/" data-custom-button-processed="true" style
=";background-color:#ffffff!important;color:#000000!important;"> <span class="ele
me ...
```

```
<a class="elementor-button elementor-button-link elementor-size-sm " href="http
s://kidpowercs.org/our-track-record/" data-custom-button-processed="true" style
=";background-color:#ffffff!important;color:#000000!important;"> <span class="ele
me ...
```

4	Links that open in a new tab or a new window should either have an "aria-label" attribute or a screen-reader only element explaining to screen-readers that this opens in a new tab.	Yes	9	0	100
---	--	-----	---	---	-----

#### Successful Elements

```
<a class="elementor-icon elementor-social-icon elementor-social-icon-facebook-squ
are elementor-repeater-item-297af0e " href="https://www.facebook.com/pages/Kidpow
er-of-Colorado-Springs/250790123044" target="_blank" data-acsb-tooltip="New Windo
w" d ...
```

```
<a class="elementor-icon elementor-social-icon elementor-social-icon-twitter elem
entor-repeater-item-ce75a8d " href="https://twitter.com/KidpowerCO" target="_blan
k" data-acsb-tooltip="New Window" data-custom-button-processed="true" data-acsb-h
over ...
```

```
<a class="elementor-icon elementor-social-icon elementor-social-icon-instagram el
ementor-repeater-item-e479460 " href="http://instagram.com/KidpowerCO" target="_b
lank" data-acsb-tooltip="New Window" data-custom-button-processed="true" data-ac
sb-ho ...
```

```
<a href="https://goo.gl/maps/taQDuDkJMDQMP3BRA" target="_blank" data-acsb-tooltip
="New Window" data-custom-button-processed="true" style=";background-color:#fffff
f!important;color:#000000!important;">2335 Robinson Street<br> Colorado Springs,
Col ...
```

```
<a href="mailto:colorado@kidpower.org" target="_blank" data-acsb-tooltip="New Win
dow" data-custom-button-processed="true" style=";background-color:#ffffff!importa
nt;color:#000000!important;">colorado@kidpower.org<span data-="true" " aria-hide
n= ...
```

```
<a class="elementor-icon elementor-animation-float" href="https://neonpigcreativ
e.com" target="_blank" data-acsb-tooltip="New Window" data-custom-button-processe
d="true" data-acsb-hover="true" data-acsb-scrape-url="https://neonpigcreative.co
m"> ...
```

```
<a class="sc-bCvmcN jdJEVh elementor-clickable " href="mailto:colorado@kidpower.org" target="_blank" rel="noopener noreferrer" data-acsb-tooltip="New Window" data-custom-button-processed="true" style=";background-color:#ffffff!important;color:#000 ...
```

```
<a class="sc-bCvmcN jdJEVh elementor-clickable " href="mailto:safety@kidpower.org" target="_blank" rel="noopener noreferrer" data-acsb-tooltip="New Window" data-custom-button-processed="true" style=";background-color:#ffffff!important;color:#00000 ...
```

```
<a href="https://kidpowercs.org/privacy-policy/" target="_blank" id="cn-more-info" class="cn-more-info cn-button " aria-label="Privacy policy" style="undefined;background-color: #00a99d;background-color:#ffffff!important" data-acsb-tooltip="New Windo ...
```

5 An H1 title provides information to blind-users using screen-readers of what the main topic of the page is and each page should have exactly one H1 title. Yes Pass - 100

#### Successful Elements

```
<h2 class="elementor-heading-title elementor-size-default " style=";background-color:#ffffff!important;color:#000000!important;" role="heading" aria-level="1">Empowering kids, teens and adults in Colorado to be confident and safe.</h2>
```

6 HTML title elements (H1-6) should have texts. If images or links are used, they should include an alternative or screen-reader only text. Yes 3 0 100

7 Elements that visually appear as titles but are coded with a non-heading HTML Tag should include a "role" attribute that equals to "heading" or have their tags fixed. Yes 7 5 58

#### Successful Elements

```
<p><strong><em >Learn about Kidpower in less than 5 minutes!</em></strong></p>
```

```
<strong><em >Learn about Kidpower in less than 5 minutes!</em></strong>
```

```
<em >Learn about Kidpower in less than 5 minutes!</em>
```

```
<span class="elementor-heading-title elementor-size-small " role="heading" data-acsb-fake-title="true" aria-level="3">Contact Us</span>
```

```
<span class="elementor-heading-title elementor-size-small " role="heading" data-acsb-fake-title="true" aria-level="3">Supporters</span>
```

```
<span class="elementor-heading-title elementor-size-small " role="heading" data-a  
csb-fake-title="true" aria-level="3">Finances</span>
```

```
<span class="elementor-heading-title elementor-size-small " role="heading" data-a  
csb-fake-title="true" aria-level="3">Awards & Recognition</span>
```

#### Failed Elements

```
<span class="e-n-menu-title-text "> About Us </span>
```

```
<span class="e-n-menu-title-text "> Our Programs </span>
```

```
<span class="e-n-menu-title-text "> Resources </span>
```

```
<span class="e-n-menu-title-text "> Who We Serve </span>
```

```
<span class="e-n-menu-title-text "> Safety Topics </span>
```

8	Title levels should not be skipped and should be built with consistent hierarchy. For example: you cannot have "h4" titles and "h2" titles without having "h3" titles.	No	0	0
---	--	----	---	---

9	Interactive elements such as links, buttons and form fields should all be navigable using the keyboard by either using a focusable element (a, button, input, etc.) or including the "tabindex" attribute that equals to "0".	Yes	3	0	100
---	---	-----	---	---	-----

#### Successful Elements

```
<div class="elementor-custom-embed-image-overlay " data-elementor-open-lightbox  
="yes" data-elementor-lightbox="{&quot;type&quot;:&quot;video&quot;;&quot;videoTy  
pe&quot;:&quot;youtube&quot;;&quot;url&quot;:&quot;https://www.youtube.com/emb  
ed/_ZUGZ ...
```

```
<div class="elementor-custom-embed-play" role="button" aria-label="Play Video" ta  
bindex="0" > <svg aria-hidden="true" class="e-font-icon-svg e-eicon-play" viewBox  
="0 0 1000 1000" xmlns="http://www.w3.org/2000/svg" data-acsb-force-hidden="tr  
u ...
```

```
<span id="cn-close-notice" data-cookie-set="accept" class="cn-close-icon " tabind  
ex="0" style=";background-color:#ffffff!important;color:#000000!important;" role  
="button"><span data-="true" " aria-hidden="false" >No Thank You - </span></span>
```

10	Interactive elements that can be navigated using the keyboard should be surrounded by a visual outline whenever they are focused.	Yes	Pass	-	100
11	Active popups should include an "aria-modal" attribute that equals to "true", and a "role" attribute that equals to "dialog", so screen-reader users know how to navigate within it.	No	0	0	
12	Every page should include hidden links that by clicking on them (either using keyboard navigation or a screen-reader), the user will "skip" certain blocks directly to main landmarks such as main content, menu or footer.	Yes	Pass	-	100
13	Elements that are hidden using CSS manipulations (opacity, height, text-indent, off-canvas, etc.) should be wrapped inside an element with an "aria-hidden" attribute that equals to "false", or include it directly, and have it dynamically changed to "true" when they become visible.	No	0	0	
14	Elements that are hidden using CSS manipulations (opacity, height, text-indent, off-canvas, etc.) should include a "tabindex" attribute that is below 0, and have it dynamically changed to 0 when they become visible.	No	0	0	
15	Menus should either be built using the HTML5 "nav" element or include a "role" attribute that equals to "menu" or "navigation" to indicate a navigation landmark for screen-readers.	Yes	5	0	100

### Successful Elements

```
<ul class="elementor-icon-list-items elementor-inline-items" data-acsb-menu="ul"
> <li class="elementor-icon-list-item elementor-inline-item" data-acsb-menu="li"
data-acsb-menu-root="true"> <a href="tel://719-520-1311" data-custo ...
```

```
<nav class="e-n-menu" data-widget-number="138" aria-label="Menu" data-touch-mode
="false" data-layout="horizontal" role="presentation"> <button class="e-n-menu-to
ggle " id="menu-toggle-138" aria-expanded="false" aria-label="Menu Toggle" tabind
e ...
```

```
<ul data-acsb-menu="ul" ><li data-acsb-menu="li" data-acsb-menu-root="true"><a hr
ef="https://kidpowercs.org/safety-concerns/bullying-solutions/" data-custom-butto
n-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="true" data-acsb-t
oolt ...
```

```
<ul class="elementor-icon-list-items" data-acsb-menu="ul" > <li class="elementor-
icon-list-item" data-acsb-menu="li" data-acsb-menu-root="true" data-acsb-hover="t
rue" > <a href="https://kidpowercs.org/what-is-the-need/" data-cus ...
```



```
<ul class="elementor-icon-list-items elementor-inline-items" data-acsb-menu="ul"
> <li class="elementor-icon-list-item elementor-inline-item" data-acsb-menu="li"
data-acsb-menu-root="true" data-acsb-hover="true" > <a href="https:// ...
```

16 Menu items that have a dropdown menu include an "aria-haspopup" attribute that equals to "true". No 0 0

17 Menu items that have a dropdown menu include an "aria-expanded" attribute that equals to "false" that changes to "true" and back when opening or closing the dropdown. No 0 0

18 Images should have an alternative text description that describes both the objects and the embedded text that the image contains, using the "alt" attribute. No 0 0

19 Background images that are not just for decoration purposes and should have the same treatment as standard images and include a "role" attribute that equals to "img" and an alternative text description in an "aria-label" attribute. No 0 0

20 Font icons, SVG or images that are being used as spacers, decorations or their purpose is already described by the content should include a "role" attribute that equals to "presentation" or "none". Yes 92 0 **100**

### Successful Elements

```
<span class="hideMe" aria-hidden="true" > </span>
```

```
<svg aria-hidden="true" class="e-font-icon-svg e-fas-gift" viewBox="0 0 512 512"
xmlns="http://www.w3.org/2000/svg" ><path d="M32 448c0 17.7 14.3 32 32 32 32h160V320
H32v128zm256 32h160c17.7 0 32-14.3 32-32V320H288v160zm192-320h-42.1c6.2-12.1 10.1
-25.5 ...
```

```
<svg class="e-font-icon-svg e-eicon-menu-bar" viewBox="0 0 1000 1000" xmlns="htt
p://www.w3.org/2000/svg" ><path d="M104 333H896C929 333 958 304 958 271S929 208 8
96 208H104C71 208 42 237 42 271S71 333 104 333ZM104 583H896C929 583 958 554 958 5
21S929 4 ...
```

```
<svg class="e-font-icon-svg e-eicon-close" viewBox="0 0 1000 1000" xmlns="http://
www.w3.org/2000/svg" ><path d="M742 167L500 408 258 167C246 154 233 150 217 150 1
96 150 179 158 167 167 167 154 179 150 196 150 212 150 229 154 242 171 254L408 500 16
7 742C1 ...
```

```
<svg xmlns="http://www.w3.org/2000/svg" xmlns:xlink="http://www.w3.org/1999/xlink" id="Layer_1" x="0px" y="0px" viewBox="0 0 9.3 11.5" xml:space="preserve" aria-hidden="true" data-acsb-force-hidden="true" ><path id="Path_199" fill="#F37021" d="M7.6, ...
```

```
<svg xmlns="http://www.w3.org/2000/svg" xmlns:xlink="http://www.w3.org/1999/xlink" id="Layer_1" x="0px" y="0px" viewBox="0 0 9.3 11.5" style="enable-background:new 0 0 9.3 11.5;" xml:space="preserve" aria-hidden="true" data-acsb-original-style="enable-backgroun ...
```

```
<svg xmlns="http://www.w3.org/2000/svg" width="55.207" height="57.315" viewBox="0 0 55.207 57.315" ><path id="_001-download" data-name="001-download" d="M27,15.278H25.308a1.262,1.262,0,0,0-1.26,1.26V18.3H27V15.278ZM24.048,38.419V61.63a1.262,1.262,0,0,0 ...
```

```
<svg aria-hidden="true" class="e-font-icon-svg e-fas-gift" viewBox="0 0 512 512" xmlns="http://www.w3.org/2000/svg" ><path d="M32 448c0 17.7 14.3 32 32 32h160V320H32v128zm256 32h160c17.7 0 32-14.3 32-32V320H288v160zm192-320h-42.1c6.2-12.1 10.1-25.5 1 ...
```

```
<svg xmlns="http://www.w3.org/2000/svg" xmlns:xlink="http://www.w3.org/1999/xlink" id="Layer_1" x="0px" y="0px" viewBox="0 0 9.3 11.5" xml:space="preserve" ><path id="Path_199" fill="#F37021" d="M7.6,5.7L1.7,2.1v2L2.9,1.7L1.7,7.4v2L7.6,5.7z" ></path> ...
```

```
<svg xmlns="http://www.w3.org/2000/svg" xmlns:xlink="http://www.w3.org/1999/xlink" id="Layer_1" x="0px" y="0px" viewBox="0 0 9.3 11.5" style="enable-background:new 0 0 9.3 11.5;" xml:space="preserve" data-acsb-original-style="enable-background:new 0 ...
```

21	Figure elements that are used to display images should have a "role" attribute that equals to "none" and the image provide itself should provide the description using an "alt" attribute.	No	0	0
----	--	----	---	---

22	Every "area" element of a "map" tag should be regarded as a standard image and receive an alternative text description using an "alt" attribute.	No	0	0
----	--	----	---	---

23	Small or hidden tracker pixel images (often used for analytics or marketing purposes) should include a "role" attribute that equals to "none" or "presentation" so they are excluded from screen-readers.	No	0	0
----	---	----	---	---

24	Form fields should either include an "aria-label" attribute or a connected LABEL element describing the requirement of the field (email, phone, name, etc.).	No	0	0
----	--	----	---	---

25	Form elements cannot have the same ID, or else their corresponding label will provide false information.	No	0	0	
26	Required form fields should include an "aria-required" attribute that equals to "true" so blind users using screen-readers know their validation.	No	0	0	
27	The validity status of every form element must be represented in the code at all times using the "aria-invalid" attributes and the "true/false" values, and change dynamically when the status changes.	No	0	0	
28	aria-describedby and aria-labeledby attributes should be connected by ID to an element that either has text description or an "aria-label" attribute.	No	0	0	
29	All forms should have a submission button that is built as an input type "submit" or a "button" element, or include a "role" tag that equals to "button". Buttons can be hidden if the form can be submitted using the Enter key.	No	0	0	
30	Search forms should include a "role" tag that equals to "search" (or be wrapped by one) to indicate a search landmark for screen-readers.	No	0	0	
31	The title tag of the HEAD section (also the title that appears in the browser tab and Search Engine result pages) should exist and describe the name of the current webpage for screen-reader users.	Yes	Pass	-	100
<b>Successful Elements</b>					
<code>&lt;title&gt;Kidpower of Colorado - Kidpower Colorado&lt;/title&gt;</code>					
32	The HTML tag should include a "lang" attribute that represents the main language of the webpage so screen-readers can calibrate on it for blind users.	Yes	Pass	-	100

### Successful Elements

```
<html lang="en-US" style="--acsb-keynav:3px;" id="acsb-light-contrast" class="acsb-light-contrast"><head> <meta charset="UTF-8"> <meta name="viewport" content="width=device-width, initial-scale=1"> <link rel="profile" href="https://gmpg.org/xfn/1 ...
```

33 The meta viewport tag should allow vision impaired users to pinch-zoom at least double the standard scaling using the user-scalable="yes" and maximum-scale={2 or higher} content strings. Yes Pass - 100

### Successful Elements

```
<meta name="viewport" content="width=device-width, initial-scale=1">
```

34 Landmarks such as main content and footer should be built using their corresponding HTML5 element or include a description using an "aria-label" attribute and a "role" tag that equals to "contentinfo" or "main". Landmarks such as search and navigation are tested in other sections. Yes 3 0 100

### Successful Elements

```
<main id="content" class="site-main post-1796 page type-page status-publish hentry progress_status-ready-to-review" role="main" data-acsb-main="true"> <div class="page-content"> <div data-elementor-type="wp-page" data-elementor-id="1796" class ...
```

```
<footer tabindex="" aria-label="Footer" class="elementor-element elementor-element-9517b82 z-third force100 e-flex e-con-boxed default section-default-pad e-con e-parent " data-id="9517b82" data-element_type="container" data-settings="{&quot;b ackgrou ...
```

35 Font sizes should be at least 11px in size in order to stay readable in the majority of font families. This should be verified also when using dynamic units such as REM or percents. Yes Pass - 100

36 Letter spacing should not be set to below -1px in order to stay readable in the majority of font families. This should be verified also when using dynamic units such as REM or percents. Yes Pass - 100

37 Elements that have texts should meet a minimum contrast ratio of 4.5:1 between their foreground (usually text color) and background color. Yes 55 0 100

### Successful Elements

```
<a href="/events/" data-custom-button-processed="true" style=";background-color:#ffffff!important;color:#000000!important;">Chocoholic Frolic!</a>
```

```
<span class="elementor-icon-list-text " style=";background-color:#ffffff!important;color:#000000!important;">719-520-1311</span>
```

```
<span class="elementor-icon-list-text " style=";background-color:#ffffff!important;color:#000000!important;">Contact Us</span>
```

```
<span class="elementor-icon-list-text " style=";background-color:#ffffff!important;color:#000000!important;">Donate</span>
```

```
<a class="e-n-menu-title-text e-link e-focus " href="https://kidpowercs.org/programs/" data-focus-index="1" data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="true" data-acsb-tooltip="Use </> to navigate" style=";background-color:#ffffff!important;color:#000000!important;">ack ...
```

```
<span class="e-n-menu-title-text "> About Us </span>
```

```
<span class="e-n-menu-title-text "> Our Programs </span>
```

```
<span class="e-n-menu-title-text "> Resources </span>
```

```
<span class="e-n-menu-title-text "> Who We Serve </span>
```

```
<span class="e-n-menu-title-text "> Safety Topics </span>
```

38 Carousels should include an "aria-label" attribute that equals to "carousel"/"slider" or something else that indicates the functionality, as well as be tagged as a landmark for screen-readers using a "role" tag that equals to "contentinfo". No 0 0

39 Control elements such as next and previous icons should include an "aria-label" attribute or a screen-reader only text that explains the functionality to screen-readers. No 0 0

40 A common accessibility mistake is to treat carousels as live regions using the "aria-live" attribute and the "polite" or the "assertive" values. Using this practice will cause screen-readers to cut and skip announcements. No 0 0

41	Carousel pagination items (usually used as small dots at the bottom of the carousel) should indicate their functionality and slide number they control using an "aria-label" and a screen-reader only text.	No	0	0	
42	Tables that are being used as layout structures should include a "role" attribute that equals to "presentation" to indicate to screen-readers that it is not really a table.	No	0	0	
43	If nested tables are used (a table element within a table cell), set the nested tables "role" attribute to "presentation".	No	0	0	
44	Tables that are missing a THEAD row with TH elements, should include a "role" attribute that equals to "rowheader" on the TD elements of the TR that represents the visual table headings.	No	0	0	
45	Visually deleted texts (often used to show a previous price of a sale) should include an "aria-label" attribute or a screen-reader only text that explains this is deleted text.	No	0	0	
46	Breadcrumbs main element should include a "role" attribute that equals to "navigation" and an "aria-label" attribute that describes the functionality."	No	0	0	
47	Ratings/scores that are represented visually using stars, meters or other indicators should either have an "aria-label" attribute or a screen-reader only texts conveying the score/rate.	No	0	0	
48	Making use of an accessibility interface helps to ensure that vision impaired users can adjust some of the UI and the design (font-size, colors, spacing, etc.) to their needs. It is not a compliance requirement, but can help to improve compliance.	Yes	Pass	-	100
49	Iframe elements should include a "title" or an "aria-label" attribute explaining the purpose, the functionality or the destination of the iframe, or be tagged hidden for screen-readers if irrelevant.	No	0	0	